



Common Billing Codes: LARC Management

Counseling

Procedure/ Supply Code	ICD-10	Description
E/M **	Z30.09	Encounter for other general counseling and advice on contraception <i>(Typically coded when all methods are reviewed prior to decision for LARC insertion or no method dispensed)</i>
E/M **	Z31.69	Encounter for other general counseling and advice on procreation <i>(preconception counseling)</i>

KEY
 * E/M (evaluation and management) or other medical/ counseling service.
 + Append Modifier 25 to E/M if billed with a procedure (LARC & Depo) to indicate the E/M is a separate and distinct service.

Note – Do not report an E/M service for the brief discussion and vitals with a patient prior to a planned LARC procedure; If a patient is separately counseled on all methods before deciding on a same day LARC insertion and the documentation supports the service, an E/M with modifier 25 would be reported in addition to the procedure.

Method: IUD (Mirena, ParaGard, Skyla, Liletta, Kyleena)

	Procedure/ Supply Code	ICD-10	Description
Insertion & Removal	E/M *	Z30.014	Encounter for initial prescription of IUD <i>(Note: not coded for IUD insertions; typically used if a device needs to be ordered for a patient)</i>
	58300 / J7297- Liletta J7298- Mirena J7300- ParaGard J7301- Skyla J7296- Kyleena	Z30.430	Encounter for Insertion of IUD
	58301	Z30.432	Encounter for Removal of IUD
	58300, 58301-51 or 59	Z30.433	Encounter for Removal and Re-insertion of IUD <i>(Note: Add Modifier 51 to the lesser procedure to ensure accurate payment - certain payers may require Modifier 59 instead of 51.)</i>
	76998		Ultrasonic guidance, intraoperative <i>(Include if US is used to guide the IUD insertion – not routinely done for insertions)</i>



	76856 76830	+ Add ICD code(s) as applicable	- Ultrasound, pelvic [non-obstetric], real time with image documentation; limited or follow-up, or - Ultrasound, transvaginal <i>(Note: US may be used to confirm location of the IUD when physician incurs a difficult IUD placement such as severe pain, uterine perforation, etc.; Document and code the justification of added service)</i>
Surveillance	E/M*	Z30.431	Encounter for Routine Checking of IUD

IUD Common Complications

	Procedure/ Supply Code	ICD-10	Description
Discontinued IUD insertion	58300-52 or 53	Z30.430	Encounter for Insertion of IUD
		+ Add ICD code to support complication	<i>(Note: add modifier 52 or 53 per modifier note / chart below; Contact manufacturer for replacement device to avoid denial if insertion is re-attempted at a later date or include applicable J code for device on claim)</i>
Perforation (during insertion)	58300-53	Z30.430	Encounter for Insertion of IUD
		T83.39XA	Perforation of uterus by IUD (non-traumatic)
Missing strings w ultrasound	E/M* <i>(if patient keeps IUD) OR</i> 58301 or 58301-22 <i>(if IUD is removed)</i> 76856 76830	T83.39XA	Displacement of IUD – missing strings, initial encounter
		Z30.431	IUD surveillance
		Z30.432	IUD removal
			- Ultrasound, pelvic [non-obstetric], real time with image documentation; limited or follow-up, or - Ultrasound, transvaginal

Use modifier -52 to report an attempted insertion but procedure was incomplete due to anatomical factors (e.g. Stenosis) or -53 to indicate stopping because of concerns for patient's well-being (e.g. vaso-vagal, severe pain). Document and include additional ICD-10 code(s) as applicable.



Method: Implant (Nexplanon)

	Procedure/ Supply Code	ICD-10	Description
Insertion & Removal	11981 / J7307	Z30.017	Encounter for insertion of implant
	11982	Z30.46	Encounter for surveillance of implant (removal)
	11983 / J7307	Z30.46	Encounter for surveillance of implant (reinsertion)
Surveillance	E/M *	Z30.46	Encounter for surveillance of implant (routine checking)

Common Billing Codes: Contraceptive Management

Contraceptive Methods (non-LARC)

	Method	Procedure/ Supply Code	ICD- 10
Initiation <i>(Initial Prescription of Method)</i>	Depo Provera	E/M** – 25 96372 – Injection J1050 – 150 Units	Z30.013
	Oral Contraceptive	E/M* / S4993	Z30.011
	Hormone Patch	E/M* / J7304	Z30.016
	Vaginal Ring	E/M* / J7303	Z30.015
	Other Barrier Methods	E/M*	Z30.018
Surveillance <i>(Including Refills of Method)</i>	Depo Provera	E/M** – 25 96372 – Injection J1050 – 150 Units	Z30.42
	Oral Contraceptive	E/M* / S4993	Z30.41
	Hormone Patch	E/M* / J7304	Z30.45
	Vaginal Ring	E/M* / J7303	Z30.44
	Other Barrier Methods	E/M*	Z30.49





Method: Emergency Contraceptives (EC)

Procedure/ Supply Code	ICD- 10	Description
E/M* S4993	Z30.012	Encounter for prescription of EC
58300 J7300 – ParaGard Copper IUD	Z30.430 Z30.012	Encounter for IUD Insertion Encounter for prescription of EC

Best-Practice
 Dispense/prescribe EC prior to a contraceptive emergency. The Copper IUD is the most effective EC method currently available.

Common Modifiers for Family Planning and LARCS

Modifier	Description
22	Increased Procedural Services (<i>Note: not reported on E/M; Add to LARC procedure code to note a difficult insertion/ removal (more work was required than usual)</i>)
25	Significant, Separately Identifiable E/M by Same Physician or QHCP on Same Day as Other Procedure or Service (<i>e.g. General contraceptive options counseling with same day LARC insertion</i>)
51	Multiple Procedures – same session and clinician (<i>e.g. 58300, 58301-51; Note: some payers do not recognize this modifier – check with payer and if necessary, use Modifier 59</i>)
59	Distinct procedure (<i>Note - some payers may require documentation of reason for reinsertion (e.g. expired device), is also used to report for an immediate postpartum IUD insertion 58300-59</i>)
52	Reduced Service (<i>Note: incomplete procedure due to anatomical factors (e.g. Stenosis)</i>)
53	Discontinued Service (<i>Note: incomplete procedure due to concerns for patient's well-being (e.g. severe pain)</i>)
76	Repeat procedure same physician / QHCP (<i>e.g. successful insertion but IUD is expelled followed by repeat insertion</i>)
77	Repeat procedure different physician / QHCP
79	Unrelated procedure by the same physician or QHCP during the post-operative period; (<i>Note: Use for post partum LARC insertions starting the day after delivery</i>)

